

If calling please ask for: [REDACTED]
Telephone: [REDACTED]

Reference: ESS-17-3477



99 Wakefield Street
Adelaide SA 5000

GPO Box 98
Adelaide SA 5001
South Australia

Tel +61 8 8204 3600
Fax +61 8 8204 3838

www.mfs.sa.gov.au

ABN 26 897 550 904

Dear [REDACTED]

I refer to your application made under the *Freedom of Information Act 1991* (the FOI Act) in which you requested access to the following documents:

"Copies of all documents, reports and the like relating to the house fire at 54-59 Hindley Street, Adelaide on 1 September 2015 and Incident reports, Investigation reports, Colour copies of all photographs; and Video footage of the fire and/or fire scene. In the event the Fire Service Fire Cause Investigators (FCI) attended the fire, the above request is also intended to include documents in relation to their investigation".

In accordance with the requirements of Premier and Cabinet Circular PC045, details of your FOI application, and the documents to which you are given access, may be published in the agency's disclosure log. A copy of PC045 can be found at <http://dpc.sa.gov.au/what-we-do/services-for-government/premier-and-cabinet-circulars>.

A search of files has been conducted and one (1) document has been located that falls within the scope of your application. The document is identified in the attached schedule.

Document 1

I have determined that this document should be released in full.

I advise that "Fire Investigation Reports" are obtainable under the *Fire and Emergency Services Act 2005* on completion of the appropriate form (blank copy attached) and payment of the prescribed fee. Thus they are not documents that are obtainable under the FOI Act, Section 20 (1) (c).



Government
of South Australia

Appeal Rights

If you are dissatisfied with this determination, you are entitled to exercise your rights of review and appeal as outlined in the attached documentation.

Should you have any enquiries in relation to this matter please do not hesitate to contact me on [REDACTED]

Yours sincerely



Accredited Freedom of Information Officer

20 December 2017

SCHEDULE OF DOCUMENTS

Freedom of Information application from [REDACTED]:

“Copies of all documents, reports and the like relating to the house fire at 54-59 Hindley Street, Adelaide on 1 September 2015 and Incident reports, Investigation reports, Colour copies of all photographs; and Video footage of the fire and/or fire scene. In the event the Fire Service Fire Cause Investigators (FCI) attended the fire, the above request is also intended to include documents in relation to their investigation”.

Doc No	Description	Determination
1	Initial Incident Report	Document released in full.

INITIAL INCIDENT REPORT

Caller Name: Caller Details/Other:

Who Raised Alarm:	21 - RESIDENT, OCCUPIER, EMPLOYEE		Incident Name:	ADELAIDE	
Method of Notification:	71 - 000 (ENHANCED 000, PAGERS)		Daily Incident No:	61	
Type/Task:	RUBBISH OR WASTE		Incident/Task No:	1118787	
Premises:			Shift:	B	
No./Address/St Type:	SCHRADER	STREET	Time:	12:13	
Location:	ADELAIDE		Date:	01/09/2015	
Grid Reference:	-34.9239169321166,138.596	Postcode:	5000	Delayed Arrival:	
UBD Reference:	ADL 118 E10		Stop:	01/09/2015 17:26	
Risk:	R		Incident Completed:	01/09/2015 17:26	
Level:	3		Reduced Attendance:		
First Arrival Officer.:		Condition/Class:	GOING	1	
Arrival Code.:		Region:	MFS		
			Group/Unit:	SOUTHERN	

Fire Alarms Info

Installation No:		Primary No:		Circ No:	1	Detector:	1	Type:	30 - SMOKE DETECTOR
Area of Call Origin:	1 - HALLWAY, CORRIDOR, MALL					Lvl of Call Origin:			
Management Name:	HEATH					Type of Alarm System:	700 - MFS MONITORED ALARM		
Mechanic Name:						Charge:			
Situation Found:	751 - SMOKE DETECTOR OPERATED, NO FIRE - EXT								
Action Taken:	31 - INVESTIGATION ONLY								
Address Correction:									

Attendance:

20 ADELAIDE	12:13		

Information/Remarks:

INITIAL INCIDENT REPORT

TG

Date	Time	C/Sign	Condition	Remarks
01/09/2015	12:13	302935	NONE	== RUBBISH FIRE AT REAR OF GRAND CHANCELLOR HOTEL
01/09/2015	12:13	302935	NONE	** LOI search completed at 01/09/15 12:13:41
01/09/2015	12:13	0	NONE	** Cancel Event:Event Cancelled by InterCAD
01/09/2015	12:14	0	NONE	[SAPOL] DISPATCHED UNIT 1EA31 TO EVENT P15090100668 AT 1/09/2015 12:14:32 PM
01/09/2015	12:15	302935	NONE	CALLER FROM GRAND CHANCELLOR CLAIMS RUBBISH FIRE POSSIBLY SET FIRE TO BY HOMELESS PEOPLE THAT USE THE AREA.
01/09/2015	12:21	301780	NONE	PREMISES ON FIRE 2 STORY GOUING WELL 2ND ALARM STSAGE IN CURRIE ST DIFFICULT ACCESS OPP 81 CURRIE
01/09/2015	12:21	302873	NONE	** Alarm level updated to 2
01/09/2015	12:22	302873	NONE	** Event Type changed from RW(R) to SC(B2) at: 01/09/15 12:22:00
01/09/2015	12:22	302873	NONE	** >>>> by: on terminal: safeppw05
01/09/2015	12:22	302873	NONE	** Event Priority changed from 2 to 0 at: 01/09/15 12:22:00
01/09/2015	12:22	302873	NONE	** >>>> by: on terminal: safeppw05
01/09/2015	12:22	301780	NONE	
01/09/2015	12:22	302873	NONE	** Event Type changed from SC(B2) to SC(A2) at: 01/09/15 12:22:35
01/09/2015	12:22	302873	NONE	** >>>> by: on terminal: safeppw05
01/09/2015	12:23	302873	NONE	** Recommended unit SMGMTGRP for requirement 1 TYPE MFS NOTIFY SEN MAN GRP (N/A)
01/09/2015	12:23	302873	NONE	** Recommended unit for requirement 1 TYPE 55 PRIM (1.2 km)
01/09/2015	12:23	302873	NONE	** Recommended unit ADL205 for requirement 1 AERIAL TYPE 5 PRIM (1.2 km)
01/09/2015	12:23	302873	NONE	** Recommended unit for requirement 1 TYPE 54 PRIM (1.2 km)
01/09/2015	12:23	302873	NONE	** Recommended unit for requirement 1 TYPE 23 PRIM (1.2 km)
01/09/2015	12:23	302873	NONE	** Recommended unit GLO449 for requirement 1 PUMP TYPE 9 BKUP (6.8 km)
01/09/2015	12:23	302873	NONE	** Recommended unit ADL2015 for requirement 1 AERIAL TYPE 15 BKUP (1.2 km)
01/09/2015	12:23	302873	NONE	** Recommended unit BURNPUMP_R for requirement 1 PUMP TYPE PUMP BKUP (7.5 km)
01/09/2015	12:23	302873	NONE	** Recommended unit ADL2090 for requirement 1 ICV TYPE 90 PRIM (1.2 km)
01/09/2015	12:23	302873	NONE	** Recommended unit PPT371 for requirement 1 PUMP TYPE 1 BKUP (5.8 km)
01/09/2015	12:23	302873	NONE	** Recommended unit for requirement 1 TYPE 52 PRIM (1.2 km)
01/09/2015	12:23	302873	NONE	** Recommended unit CAR40 for requirement 1 TYPE MFS CM CAR BKUP (9.3 km)
01/09/2015	12:23	302873	NONE	** Recommended unit WDV249 for requirement 1 PUMP TYPE 9 BKUP (8.1 km)
01/09/2015	12:23	302873	NONE	** Recommended unit ADL206 for requirement 1 BA TENDER TYPE 6 PRIM (1.2 km)
01/09/2015	12:23	302873	NONE	** Recommended unit BURN24 for requirement 1 PUMP TYPE HT BKUP (7.5 km)
01/09/2015	12:23	302873	NONE	TA: ADL2015 turned out while at 20 on F1509010061
01/09/2015	12:23	302873	NONE	TA: turned out while at 20 on F1509010061
01/09/2015	12:23	302873	NONE	TA: ADL2015 turned out while at 20 on F1509010061
01/09/2015	12:23	302873	NONE	TA: turned out while at 20 on F1509010061
01/09/2015	12:23	302873	NONE	TA: turned out while at 20 on F1509010061
01/09/2015	12:23	302873	NONE	TA: turned out while at 20 on F1509010061
01/09/2015	12:27	301780	NONE	** Alarm level updated to 3
01/09/2015	12:27	301780	NONE	** Recommended unit SMGMTGRP for requirement 1 TYPE MFS NOTIFY SEN MAN GRP (N/A)
01/09/2015	12:27	301780	NONE	** Recommended unit STM409 for requirement 1 PUMP TYPE 9 BKUP (9.3 km)
01/09/2015	12:27	301780	NONE	** Recommended unit EDNHPUMP_H for requirement 1 CFS TYPE BA AT00 BKUP (>11.5 km)
01/09/2015	12:27	301780	NONE	** Recommended unit CPK417 for requirement 1 PUMP TYPE 7 BKUP (8.5 km)
01/09/2015	12:29	301780	NONE	360 NOT COMPLETE NO ENRITRYTO FRONT CREWS INSIDE INV STAGING AS THEY ARRIVE
01/09/2015	12:32	302912	NONE	** Cross Referenced to Event # F1509010066 at: 01/09/15 12:32:00
01/09/2015	12:32	302912	NONE	** Cross Referenced to Event # F1509010066 at: 01/09/15 12:32:00

0

Advised:	Msg:	Time:	Advised:	Time:	Advised:	Time:	Advised Other:	Time:
SA Police			SA Ambulance Serv.		Reg. Duty Officer			
SA MFS			St. John		DSC			
DEH-NPWSA			ETSA Utilities		Media Liason Officer		Signature:	
Forestry SA			SES		SMAPS/Spam		incidentsummary	
AGASCO			Housing Trust		FCI			
IPA			TAC		DO			
Safety 1			Safety 2		On Call CMDR			

INITIAL INCIDENT REPORT

Movements:

Call Sign	Dispatch Time	Turnout Time	Chg of Quarters	Arrived	Diverted	Return to Service
ADL201	01/09/2015 12:14	01/09/2015 12:16		01/09/2015 12:18		01/09/2015 15:56
SMGMT	01/09/2015 12:23					01/09/2015 12:23
GLO449	01/09/2015 12:23	01/09/2015 12:24		01/09/2015 12:34		01/09/2015 15:18
PPT371	01/09/2015 12:23	01/09/2015 12:25		01/09/2015 12:31		01/09/2015 15:11
BURNPU	01/09/2015 12:23	01/09/2015 12:32		01/09/2015 12:43		01/09/2015 15:27
ADL201	01/09/2015 12:23	01/09/2015 12:24		01/09/2015 12:47		01/09/2015 14:49
BURN24	01/09/2015 12:23					01/09/2015 12:47
C1_BEN	01/09/2015 12:23	01/09/2015 12:40		01/09/2015 14:05		01/09/2015 15:52
S1_FOS	01/09/2015 12:23	01/09/2015 12:37		01/09/2015 14:05		01/09/2015 15:32
ADL205	01/09/2015 12:23	01/09/2015 12:25		01/09/2015 14:06		02/09/2015 01:24
ADL206	01/09/2015 12:23	01/09/2015 12:25		01/09/2015 12:27		01/09/2015 16:06
ADL209	01/09/2015 12:23	01/09/2015 12:30		01/09/2015 12:32		01/09/2015 20:36
CAR40	01/09/2015 12:23					01/09/2015 12:27
F1_RED	01/09/2015 12:23			01/09/2015 13:26		01/09/2015 19:12
S2_BEN	01/09/2015 12:23	01/09/2015 12:38		01/09/2015 14:05		01/09/2015 18:24
WDV249	01/09/2015 12:23	01/09/2015 12:25		01/09/2015 12:36		01/09/2015 15:03
CAR30	01/09/2015 12:27	01/09/2015 12:28		01/09/2015 12:35		01/09/2015 18:15
CPK417	01/09/2015 12:27	01/09/2015 12:30		01/09/2015 12:39		01/09/2015 15:44
EDNHPU	01/09/2015 12:27	01/09/2015 12:37		01/09/2015 12:53		01/09/2015 15:13
STM409	01/09/2015 12:27	01/09/2015 12:30		01/09/2015 12:48		01/09/2015 15:26
BPK451	01/09/2015 12:54			01/09/2015 12:54		01/09/2015 18:17
BLP217	01/09/2015 12:54			01/09/2015 12:54		01/09/2015 16:56
OAK301	01/09/2015 12:56			01/09/2015 12:56		01/09/2015 15:28
PAD257	01/09/2015 12:56			01/09/2015 12:56		01/09/2015 16:50
OAK303	01/09/2015 13:32	01/09/2015 13:34		01/09/2015 15:09		01/09/2015 15:15
STM401	01/09/2015 13:34			01/09/2015 13:35		01/09/2015 16:40
HOOKLI	01/09/2015 13:47	01/09/2015 15:02		01/09/2015 16:35		01/09/2015 16:36
C1_MOR	01/09/2015 13:59	01/09/2015 13:59		01/09/2015 14:05		01/09/2015 15:21
ADL201	01/09/2015 14:10			01/09/2015 14:10		01/09/2015 15:22
ADL204	01/09/2015 14:10			01/09/2015 14:10		01/09/2015 16:11
ADL202	01/09/2015 17:48	01/09/2015 17:53		01/09/2015 21:25		01/09/2015 22:05
CDN431	02/09/2015 00:58			02/09/2015 01:00		02/09/2015 05:24