





State Emergency Service



Dear

I am writing in relation to your application made under the Freedom of Information Act 1991 in which you requested access to the following documents:

"I am after the SES report from the September storm 2016 when the SES was called out to my property at Water was coming in through my son's roof it was during the storm and the roof was not damaged so a tarp was not required it was just the way the storm was coming in at just an angle."

In accordance with the requirements of Premier and Cabinet Circular PC045, details of your FOI application, and the documents to which you are given access, may be published in the agency's disclosure log. A copy of PC045 can be found at <a href="http://dpc.sa.gov.au/what-we-do/services-for-government/premier-and-cabinet-circulars">http://dpc.sa.gov.au/what-we-do/services-for-government/premier-and-cabinet-circulars</a>.

A search of files has been conducted and one (1) document was located that falls within the scope of your application. The document is identified in the attached schedule.

In respect of the document, I have determined as follows:

## Document 1

I have determined that this document should be released in part.

In regard to this document, the parts to which I have not granted you access are the volunteer Member ID numbers and names listed on the document.

- (i) The document contains volunteer Member ID numbers and names.
- (ii) It would be unreasonable to disclose the volunteer Member ID numbers and names but not the other information in the document.
- (iii) The volunteer Member ID numbers and names are exempt from disclosure under clause 6 (1) of the FOI Act, which reads:

"A document is an exempt document if it contains the matter the disclosure of which would involve the unreasonable disclosure of information concerning the personal affairs of any person (living or dead".

- (iv) In my view it would be unreasonable to disclose the volunteer Member ID numbers and names because:
  - (a) Disclosure under the FOI Act is "disclosure to all the world". (Re Sunderland and Department of Defence, (1986) 11 ALD 258; Re Williams and Registrar, Federal Court of Australia, (1985) 8 ALD 814; Re Anderson and the Australian Federal Police, (1986) 11 ALD 355.)
  - (b) Re Chandra and Department of Immigration and Ethnic Affairs, (1984) 6 ALN N 257, which has been applied in South Australia, says that I should consider "... all the circumstances including:
    - The nature of the information disclosed;
    - The circumstances in which the information is obtained;
    - The likelihood of the information being information that the person concerned would not wish to have disclosed without consent; and
    - Whether the information has any current relevance" (aN259).

The matters outlined in (a) to (b) above lead me to conclude that it would be unreasonable to disclose the volunteer Member ID numbers and names under the FOI Act.

It is practicable to delete the volunteer Member ID numbers and names and release the remainder and in accordance with subsection 20 (4) of the FOI Act, I have done so. Accordingly, please find enclosed a copy of this document with the volunteer Member ID numbers and names deleted.

## **Appeal Rights**

If you are dissatisfied with this determination, you are entitled to exercise your rights of review and appeal as outlined in the attached documentation.

Should you have any enquiries in relation to this matter, please do not hesitate to

Yours sincerely



## Accredited Freedom of Information Officer

2**Ø** December 2017

## **SCHEDULE OF DOCUMENTS**

Freedom of Information application by	- "I am after the SES
report from the September storm 2016 whe	en the SES was called out to my property
at	Water was coming in through my son's
roof it was during the storm and the roof wa	as not damaged so a tarp was not required
it was just the way the storm was coming in	n at just an angle."

Doc No	Description	Determination
1	SESIIMS Incident Log	Document released in part – volunteer Member ID numbers and names exempt under clause 6 (1) of Schedule 1 of the FOI Act.





For support or assistance please click here to email SESIIMS Administration or if urgent phone the State Duty Officer on

-Incident Details

SESIIMS No: 128171

DIN: 481

SACAD No: \$1609290481

P/L: 2

Incident Type: SEVERE WEATHER - R - STORM DAMAGE WATER ENTERING THROUGH WALLS Incident Status: Completed

Incident ESZ: 81001

Incident CENTR

Region:

Agency: SES

District Northern Adelaide

Primary Unit: Tea Tree Gully

Report Details

Reporting Unit: Tea Tree

Situation Severe Found: Weather and Sub Type: Severe

Sub Type: Storm damage - water entering property

Weather

Natural Disasters

Final Report: Yes

Report Status: Submitted

Incident Detail-

Call Times

Mobile Date: 29/09/16 1559hrs Arrival Date: 29/09/16 1609hrs

Stop Call Date:

Completed Date: 29/09/16 1644hrs

Reported Location

Apartment Number:

Street Number:

Street Name: Suburb: Street Type: RD Postcode:

Incident Location-

Apartment Number:

Street Number:

Street Name:

Suburb:

Street Type: RD

Postcode:

Unit Details

Incident Controller:

Unit Incident No: 0

Description/Comments:

Additional Details

Method of notification: Caller dials 000/132 500

Caller name:

Caller details:

Insurance Company:

Estimated damage: \$0.00

Type of Property use: Property - Use not known

Sub Type:

Type of action taken: Investigation Only

Type of Owner: Private

Type of Occupant: Same as owner

Owner/Occupant's name:

Weather: Cloudy

Personnel

Member ID	First name	Family name	Role		
			Storm Crew		
			Crew Leader		
			Storm Crew		
			Operations Support Crew		
			Communications Operator		

-Oher Agencies-

Agency		Category		De	etails / Comments		KE DISTORES FOR	
Vehicles-								
Call Sign	Driver	Start Odometer/Hour Meter Reading			Finish Odometer/Hour Meter Reading		Distance Travelled	Lights/Sirens
Tea Tree Gully 3			45067		9km	No		
Equipment Det	tails-							
Cameras ar	nd Detectors:							
	Saws:							
	Rescue:							
Spe	cial Vehicles: Trailers:							
Otho	er Equipment:							
Equipment da reported t								
Equipmen	nt recovery of tion required:							
-Mobile Proper	ty———							
Mobile Propert	у Туре		Sub Type	Make	Model Re	egistratio	n Drivers	Name
Specific Risks								
Workin	ng at heights:	No						
Roof safety sys	tem required:	No						
generating power	Solar panels: , not hot water	No						
	Asbestos:	No						
Hazardous	atmosphere:	No						
	HAZMAT:	No						
Sp	ecific Details:							
Casualties/Res	scue-							
Unit Perso	onnel Injured:	0			Persons R	Rescued: 0	Ĺ	
Other Per	rsons Injured:	0			Persons Eva	acuated: 0		
Unit Personn	el Deceased:	0		Persons Assisted: 0 (First Aid etc)				
Other Person	ns Deceased:	0						
Authority Effect	cting Rescue:	N/A						
	/ Reason for rescue:							
Rescue Type	100000.							
-Uploads	100000.							